


optibelt DELTA CHAIN Carbon



HIGH PERFORMANCE TIMING BELTS

DIMENSIONS

8MDC
Dimensions on request

TIMING BELT PULLEYS DC 

all standard pulleys,
special pulleys on request




optibelt ALPHA POWER

TIMING BELTS
metric, inch and double-sided


DIMENSIONS

TIMING BELTS METRIC	
T2,5	120–950 mm
T5	165–1440 mm
T10	260–2250 mm
AT5	225–1500 mm
AT10	500–1940 mm
DOUBLE-SIDED TIMING BELTS	
DT5	300–1100 mm
DT10	260–1880 mm
Further sizes upon request	

TIMING BELT PULLEYS 

all standard pulleys,
special pulleys on request






optibelt ALPHA TORQUE

TIMING BELTS


metric, inch and double-sided



DIMENSIONS	
TIMING BELTS METRIC	
T2,5	120–950 mm
T5	165–1440 mm
T10	260–2250 mm
AT5	225–1500 mm
AT10	500–1940 mm
MXL	2.40–32.00 inches
XL	6.00–67.00 inches
L	12.38–60.00 inches
DOUBLE-SIDED TIMING BELTS	
DT5	300–1100 mm
DT10	260–1880 mm
Further sizes upon request	



TIMING BELT PULLEYS
all standard pulleys,
special pulleys on request





optibelt ALPHA FLEX

TIMING BELTS
endless

DIMENSIONS	
T5	1500–24 000 mm
T10	1500–24 000 mm
T20	1500–24 000 mm
AT5	1500–24 000 mm
AT10	1500–24 000 mm
AT20	1500–24 000 mm
5M	1500–24 000 mm
8M	1504–24 000 mm
14M	1512–24 000 mm

Lengths > 24 000 mm upon request

TIMING BELT PULLEYS
all standard pulleys,
special pulleys on request



optibelt ALPHA LINEAR/V

TIMING BELTS
by the metre (linear), welded endless or as flat belts

DIMENSIONS	
LINEAR TIMING BELTS	
XL, L, H, XH	
5M, 8M, 14M	
T5, T10, T20	
AT5, AT10, AT20	
FLAT BELTS	
F2	
F3	
Standard roll length 50 m	

TIMING BELT PULLEYS
all standard pulleys,
special pulleys on request






optibelt ALPHA SPECIAL

TIMING BELTS


with cleats (welded or screwed)



DIMENSIONS

Sections and dimensions available on request


TIMING BELT PULLEYS
all standard pulleys,
special pulleys on request



optibelt ALPHA SPECIAL

TIMING BELTS


with coatings (rear)




DIMENSIONS

Sections and dimensions available on request

TIMING BELT PULLEYS
all standard pulleys,
special pulleys on request





optibelt ALPHA SPECIAL



TIMING BELTS

with mechanical working (punching, machining, and sanding)

DIMENSIONS

Sections and dimensions available on request

TIMING BELT PULLEYS
all standard pulleys,
special pulleys on request

optibelt ALPHA SPECIAL



TIMING BELTS

customized solutions

DIMENSIONS

Sections and dimensions available on request

TIMING BELT PULLEYS
all standard pulleys,
special pulleys on request



optibelt ALPHA SRP


TIMING BELTS
customized solutions


DIMENSIONS

T2.5, T5, T10, T20, AT5,
AT10, AT20, MXL, XL, L

Dimensions on request

TIMING BELT PULLEYS
all standard pulleys,
special pulleys on request





optibelt
ALPHA ZS/ZSI

TIMING BELT LOCK



DIMENSIONS

25 AT10, 32 AT10, 50 AT10
25 T10, 32 T10, 50 T10
25,4 H, 38,1 H, 50,8 H

Additional intermediate widths and widths greater than 50 mm on request

TIMING BELT PULLEYS

all standard pulleys,
special pulleys on request



optibelt
ALPHA PINJOIN

TIMING BELT LOCK

DIMENSIONS

25 AT10, 32 AT10, 50 AT10

Additional profiles, intermediate widths and widths greater than 50 mm on request

TIMING BELT PULLEYS

all standard pulleys,
special pulleys on request

