



Raccordi inox

La raccorderia "standard" è composta da tutti quegli articoli che servono a collegare fra di loro componenti di vario genere e fungono da completamento a tutte le altre serie di raccordi.

I raccordi della serie "Accessori" sono di tanti tipi e genere, pertanto risulta impossibile definire dei valori di pressione precisi per singolo articolo.

Gli articoli sotto riportati vengono prodotti a richiesta per lotti minimi di 100 pezzi, per le dimensioni fare riferimento al fascicolo del nostro catalogo "Raccordi a calzamento, a compressione e accessori" al paragrafo "Raccordi standard e Accessori". Altre tipologie del medesimo paragrafo possono essere fornite a richiesta.

Stainless steel fittings

The standard fittings consist of those items useful to connect different components in order to complete all other fitting series.

The fittings of the series "accessories" are several, so it is impossible to define precise pressure values for each item.

The items here mentioned are manufactured upon request for minimum lots of 100 pieces. As for dimension make reference to the pamphlet of our catalogue "Touch, compression and accessory fittings" to the paragraph "Standard fittings and Accessories". Others typologies about the same paragraph should be supplied by request.

M254X



M255X



NC260X



NR261X



RM200X



RC254X



E261X



E265X



PG260X



DE120X



E100X



E200X



Raccordo diritto maschio conico
Straight male adapter (taper)



CODICE CODE	Ø	F
D1511864NIX	6/4	1/8
D1511464NIX	6/4	1/4
D1511886NIX	8/6	1/8
D1511486NIX	8/6	1/4
D15118108NIX	10/8	1/8
D15114108NIX	10/8	1/4
D15138108NIX	10/8	3/8
D151381210NIX	12/10	3/8
D151121210NIX	12/10	1/2

Raccordo a L maschio conico
Elbow male adapter (taper)




CODICE CODE	Ø	F
C1501864NIX	6/4	1/8
C1501464NIX	6/4	1/4
C1501886NIX	8/6	1/8
C1501486NIX	8/6	1/4
C1503886NIX	8/6	3/8
C15018108NIX	10/8	1/8
C15014108NIX	10/8	1/4
C15038108NIX	10/8	3/8
C150381210NIX	12/10	3/8
C150121210NIX	12/10	1/2

Raccordo diritto maschio cilindrico
Straight male adapter (parallel)



CODICE CODE	Ø	F
D15131864NIX	6/4	1/8
D15131464NIX	6/4	1/4
D15131886NIX	8/6	1/8
D15131486NIX	8/6	1/4
D151318108NIX	10/8	1/8
D151314108NIX	10/8	1/4
D151338108NIX	10/8	3/8
D1513381210NIX	12/10	3/8
D1513121210NIX	12/10	1/2

Raccordo a L intermedio
Elbow connector



CODICE CODE	Ø
L15564NIX	6/4
L15586NIX	8/6
L155108NIX	10/8
L1551210NIX	12/10



Raccordi inox

Raccordo a T maschio centrale conico
Tee male adapter (taper) - centre leg



CODICE CODE	Ø	F
TC1411864NIX	6/4	1/8
TC1411464NIX	6/4	1/4
TC1411886NIX	8/6	1/8
TC1411486NIX	8/6	1/4
TC14118108NIX	10/8	1/8
TC14114108NIX	10/8	1/4
TC14138108NIX	10/8	3/8
TC141381210NIX	12/10	3/8
TC141121210NIX	12/10	1/2

Raccordo a T maschio laterale conico
Tee male adapter (taper) - offset leg



CODICE CODE	Ø	F
TL1421864NIX	6/4	1/8
TL1421464NIX	6/4	1/4
TL1421886NIX	8/6	1/8
TL1421486NIX	8/6	1/4
TL14218108NIX	10/8	1/8
TL14214108NIX	10/8	1/4
TL14238108NIX	10/8	3/8

Raccordo a T intermedio
Tee connector



CODICE CODE	Ø
TT15464NIX	6/4
TT15486NIX	8/6
TT154108NIX	10/8
TT1541210NIX	12/10

Raccordo a L girevole maschio conico
Swivel elbow male adapter (taper)




CODICE CODE	Ø	F
C154G1864NIX	6/4	1/8
C154G1464NIX	6/4	1/4
C154G1886NIX	8/6	1/8
C154G1486NIX	8/6	1/4
C154G14108NIX	10/8	1/4

Raccordo a T girevole maschio conico
Swivel tee male adapter (taper) centre leg




CODICE CODE	Ø	F
T143G1864NIX	6/4	1/8
T143G1464NIX	6/4	1/4
T143G1886NIX	8/6	1/8
T143G1486NIX	8/6	1/4
T143G14108NIX	10/8	1/4

Raccordo a T girevole maschio cilindrico
Swivel tee male adapter (parallel) centre leg



CODICE CODE	Ø	F
T1433G1864NIX	6/4	1/8
T1433G1464NIX	6/4	1/4
T1433G1886NIX	8/6	1/8
T1433G1486NIX	8/6	1/4
T1433G14108NIX	10/8	1/4

Raccordo a L girevole maschio cilindrico
Swivel elbow male adapter (parallel)



CODICE CODE	Ø	F
C1543G1864NIX	6/4	1/8
C1543G1464NIX	6/4	1/4
C1543G1886NIX	8/6	1/8
C1543G1486NIX	8/6	1/4
C1543G14108NIX	10/8	1/4

Dado di bloccaggio
Locking nut



CODICE CODE	Ø
D17064NIX	6/4
D17086NIX	8/6
D170108NIX	10/8
D1701210NIX	12/10

**PLASTORGOMMA**forniture tecniche industriali *Service* industry supply

Raccorderia

Pipe fittings

OTTONE NICHELATO - OTTONE GIALLO - ACCIAIO INOX - GHISA - PVC
NICKEL-PLATED BRASS - YELLOW BRASS - STAINLESS STEEL - CAST IRON - PVC**Art. 1**CURVA A 90° M-F
90° PIPE TO HOSE ADAPTOR WITH M-F HEADS

Misura/Size	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
-------------	------	------	------	----	--------	--------	----

**Art. 2**CURVA A 90° F-F
90° PIPE TO HOSE ADAPTOR WITH FEMALE HEADS

Misura/Size	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
-------------	------	------	------	----	--------	--------	----

**Art. 90**GOMITO A 90° F-F
90° ELBOW F-F

Misura/Size	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
-------------	------	------	------	------	------	----	--------	--------	----	--------	----	----

**Art. 92**GOMITO A 90° M-F
90° ELBOW M-F

Misura/Size	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
-------------	------	------	------	------	------	----	--------	--------	----	--------	----	----

**Art. 96**BOCCHETTONE A GOMITO F-F SEDE CONICA CON O-RING
90° UNION, TAPERED SEAT WITH O-RING, FEMALE HEADS

Misura/Size	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
-------------	------	------	------	----	--------	--------	----

**Art. 98**BOCCHETTONE A GOMITO M-F SEDE CONICA CON O-RING
90° UNION, TAPERED SEAT WITH O-RING, M-F HEADS

Misura/Size	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
-------------	------	------	------	----	--------	--------	----

**Art. 120**GOMITO A 45° F-F
45° ELBOW F-F

Misura/Size	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
-------------	------	------	------	----	--------	--------	----

**Art. 121**GOMITO A 45° M-F
45° ELBOW M-F

Misura/Size	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
-------------	------	------	------	----	--------	--------	----

**Art. 130**RACCORDO A "T"
T-SHAPED FITTING

Misura/Size	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
-------------	------	------	------	------	------	----	--------	--------	----	--------	----	----

**Art. 180**CROCIERA A 4 VIE
CROSS-SHAPED FEMALE FITTING

Misura/Size	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
-------------	------	------	------	----	--------	--------	----

**PLASTORGOMMA***Service*



Raccorderia

Pipe fittings

OTTONE NICHELATO - OTTONE GIALLO - ACCIAIO INOX - GHISA - PVC
NICKEL-PLATED BRASS - YELLOW BRASS - STAINLESS STEEL - CAST IRON - PVC

Art. 240

MANICOTTO RIDOTTO F-F
REDUCED COUPLING WITH FEMALE HEADS

Misura/Size	G1	1/8"	1/8"	1/4"	1/4"	3/8"	3/8"	1/2"	1/2"	3/4"
	G	1/4"	3/8"	3/8"	1/2"	1/2"	3/4"	3/4"	1"	1"

Misura/Size	G1	3/4"	1"	1"	1 1/4"	1 1/4"	1 1/2"
	G	1 1/4"	1 1/4"	1 1/2"	1 1/2"	2"	2"

Art. 241

RIDUZIONE M-F
REDUCED COUPLING WITH FEMALE HEADS

Misura/Size	G1	1/8"	1/8"	1/4"	1/4"	3/8"	3/8"	1/8"	1/4"	3/8"	1/2"	3/8"	1/2"	3/4"
	G	1/4"	3/8"	3/8"	1/2"	1/2"	5/8"	3/4"	3/4"	3/4"	3/4"	1"	1"	1"

Misura/Size	G1	1/2"	3/4"	1"	3/4"	1"	1 1/4"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
	G	1 1/4"	1 1/4"	1 1/4"	1 1/2"	1 1/2"	1 1/2"	2"	2"	2"	2"	2 1/2"	3"	4"

Art. 245

NIPLES DOPPIO RIDOTTO
REDUCING NIPPLE WITH MALE HEADS

Misura/Size	P	1/8"	1/4"	1/4"	3/8"	3/8"	1/2"	1/2"	3/4"	1"	1 1/4"
	G	1/4"	3/8"	1/2"	1/2"	3/4"	3/4"	1"	1"	1 1/4"	1 1/2"

Misura/Size	P	1"	1 1/2"	2"	2 1/2"	3"
	G	2"	2"	2 1/2"	3"	4"

Art. 270

MANICOTTO FEMMINA
COUPLING WITH FEMALE HEADS

Misura/Size	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
-------------	------	------	------	------	------	----	--------	--------	----	--------	----

Art. 280

NIPLES DOPPIO
NIPPLE WITH MALE HEADS

Misura/Size	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
-------------	------	------	------	------	------	----	--------	--------	----	--------	----	----

Art. 290

TAPPO MASCHIO
PLUG (M)

Misura/Size	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"
-------------	------	------	------	------	------	----	--------	--------	----	--------

Art. 300

TAPPO FEMMINA
CAP (F)

Misura/Size	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"
-------------	------	------	------	------	------	----	--------	--------	----	--------

Art. 310

CONTRODADO PIANO
LOCK NUT

Misura/Size	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
-------------	------	------	------	------	------	----	--------	--------	----	--------	----	----

Art. 340

BOCCHETTONE FEMMINA SEDE CONICA CON O-RING
FEMALE UNION, TAPERED SEAT WITH O-RING

Misura/Size	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
-------------	------	------	------	------	------	----	--------	--------	----

Art. 341

BOCCHETTONE M/F SEDE CONICA CON O-RING
M-F UNION, TAPERED SEAT WITH O-RING

Misura/Size	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
-------------	------	------	------	------	------	----	--------	--------	----

**PLASTORGOMMA**forniture tecniche industriali *Service* industry supply

Raccorderia

Pipe fittings

OTTONE NICHELATO - OTTONE GIALLO - ACCIAIO INOX - GHISA - PVC
NICKEL-PLATED BRASS - YELLOW BRASS - STAINLESS STEEL - CAST IRON - PVC**Art. 1004**PORTAGOMMA MASCHIO SERIE "EXTRA"
HOSE CONNECTOR "EXTRA" SERIES WITH MALE HEAD

Misura/Size	P	6	8	6	8	10	12	17	8	10	13	15	16
G	1/8"	1/8"	1/4"	1/4"	1/4"	1/4"	1/4"	1/4"	3/8"	3/8"	3/8"	3/8"	3/8"
Misura/Size	P	18	10	12	14	16	19	20	13	16	19	20	25
G	3/8"	1/2"	1/2"	1/2"	1/2"	1/2"	1/2"	1/2"	3/4"	3/4"	3/4"	3/4"	3/4"
Misura/Size	P	20	25	30	35	30	35	38	40	45	40	45	50
G	1"	1"	1"	1"	1 1/4"	1 1/4"	1 1/4"	1 1/4"	1 1/4"	1 1/4"	1 1/2"	1 1/2"	1 1/2"
Misura/Size	P	45	50	60	60	63	65	70	75				
G	2"	2"	2"	2 1/2"	2 1/2"	2 1/2"	2 1/2"	2 1/2"	2 1/2"				

Art. 1005PORTAGOMMA FEMMINA SERIE "EXTRA"
HOSE CONNECTOR "EXTRA" SERIES WITH FEMALE HEAD

Misura/Size	P	10	12	14	15	13	15	20	13	20	25	25	30
	G	1/4"	3/8"	3/8"	3/8"	1/2"	1/2"	1/2"	3/4"	3/4"	3/4"	1"	1"
Misura/Size	P	35	40	40	45	50	50	60	70	80			
	G	1 1/4	1 1/4	1 1/2	1 1/2	1 1/2	2"	2"	2 1/2	3"			

Raccorderia PVC

PVC fittings

GOMITO 90° FILETTATO
90° ELBOW THREADED

d.	DN
3/8"	10
1/2"	15
3/4"	20
1"	25
1 1/4"	32
1 1/2"	40
2"	50
2 1/2"	65
3"	80
4"	100

GOMITO 45° FILETTATO
45° ELBOW THREADED

d.	DN
3/8"	10
1/2"	15
3/4"	20
1"	25
1 1/4"	32
1 1/2"	40
2"	50
2 1/2"	65
3"	80
4"	100

TEE 90° FILETTATO
90° TEE THREADED

d.	DN
3/8"	10
1/2"	15
3/4"	20
1"	25
1 1/4"	32
1 1/2"	40
2"	50
2 1/2"	65
3"	80
4"	100

MANICOTTO FILETTATO
UNION BUSH FEMALE THREADED

d.	DN
3/8"	10
1/2"	15
3/4"	20
1"	25
1 1/4"	32
1 1/2"	40
2"	50
2 1/2"	65
3"	80
4"	100

**PLASTORGOMMA***Service*



Raccorderia PVC

PVC fittings

BOCCHETTONE FILETTATO 3 PEZZI
UNION 3 PIECES THREADED



d.	DN
3/8"	10
1/2"	15
3/4"	20
1"	25
1 1/4"	32
1 1/2"	40
2"	50
2 1/2"	65
3"	80
4"	100

NIPPLO FILETTATO
NIPPLE MALE-MALE THREADED



d.	DN
3/8"	10
1/2"	15
3/4"	20
1"	25
1 1/4"	32
1 1/2"	40
2"	50
2 1/2"	65
3"	80
4"	100

NIPPLO RIDOTTO FILETTATO
REDUCING NIPPLE MALE-MALE THREADED



d.	DN
3/4"X1/2"	-
1"X1/2"	-
1"X3/4"	-
1 1/4"X1/2"	-
1 1/4"X3/4"	-
1 1/4"X1"	-
1 1/2"X1/2"	-
1 1/2"X3/4"	-
1 1/2"X1"	-
1 1/2"X1 1/4"	-
2"X3/4"	-
2"X1"	-
2"X1 1/4"	-
2"X1 1/2"	-

TAPPO MASCHIO FILETTATO
PLUG MALE THREADED



d.	DN
3/8"	10
1/2"	15
3/4"	20
1"	25
1 1/4"	32
1 1/2"	40
2"	50
2 1/2"	65
3"	80
4"	100

PORTAGOMMA FILETTATO
HOSE ADAPTOR THREADED



d.	DN
14-12-1/4"	10
18-16-3/8"	15
22-20-1/2"	20
28-25-3/4"	25
34-31-1"	32
43-40-1 1/4"	40
53-50-1 1/2"	50
66-60-2"	65

PORTAGOMMA CON CON GHIERA FILETTATO
HOSE ADAPTOR WITH NUT THREADED



d.	DN
3/4"	10
1"	15
1 1/4"	20
1 1/2"	25
2"	32
2 1/4"	40
2 3/4"	50

**PLASTORGOMMA**forniture tecniche industriali *Service* industry supply

Raccorderia PVC

RIDUZIONE M/F CORTA FILETTATA
REDUCING BUSH M/F THREADED

d.	DN
3/4"X1/2"	10
1"X3/4"	15
1" 1/4X1"	20
1 1/2"X1 1/4"	25
2"X1 1/2"	32
2" 1/2X2"	40
3"X2" 1/2	50
4"X3"	50

RIDUZIONE M/F LUNGA LUNGA FILETTATA
REDUCER M/F LONG THREADED

d.	DN	d.	DN
1/2"X3/8"	-	2"X1"	-
3/4"X3/8"	-	2"X1" 1/4	-
3/4"X1/2"	-	2"X1" 1/2	-
1"X3/8"	-	2" 1/2X1" 1/4	-
1"X1/2"	-	2" 1/2X1" 1/2	-
1"X3/4"	-	2" 1/2X2"	-
1" 1/4X1/2"	-	3"X1" 1/2	-
1" 1/4X3/4"	-	3"X2"	-
1" 1/4X1"	-	3"X2" 1/2	-
1" 1/2X3/4"	-	4"X2"	-
1" 1/2X1"	-	4"X2" 1/2	-
1" 1/2X1" 1/4	-	4"X3"	-

MAGGIORATORE M/F FILETTATO
REDUCER M/F THREADED

d.	DN
3/8"X1/2"	-
1/2"X3/4"	-
3/4"X1"	-
1"X1" 1/4	-
1" 1/4X1" 1/2	-
1" 1/2X2"	-
2"X2" 1/2	-
2" 1/2X3"	-
3"X4"	-

GHIERA FILETTATA
NUT THREADED

d.	DN
3/8"	10
1/2"	15
3/4"	20
1"	25
1 1/4"	32
1 1/2"	40
2"	50
2 1/2"	65
3"	80
4"	100

FLANGIA FISSA FILETTATA
FIXED FLANGE THREADED

d.	DN
1/2"	15
3/4"	20
1"	25
1 1/4"	32
1 1/2"	40
2"	50
2 1/2"	65
3"	80
4"	100

BARRA FILETTATA
THREADED BAR

d.	DN
1/2"	15
3/4"	20
1"	25
1 1/4"	32
1 1/2"	40
2"	50
2 1/2"	65
3"	80
4"	100

**PLASTORGOMMA***Service*